## BagMixer® 400

The world's best selling lab blender



### interscience

### Why choose **BagMixer®** 400!

### Best-seller

- Sold in more than 80 countries
- 30 years experience

### High-quality

- Optimal analysis with the sterile BagFilter® and BagPage®
- In compliance with ISO 7218 standard
- Made in France by interscience

### **Brushless motor**

- No wearing parts
- - 50% power consumption
- Extra silent

### Safety

- The handle closes the blender and starts the blending
- **Q-Tight**®: no leaks from the top of the bag
- Security drip tray

# BagMixer\* interscience\*

### Easy cleaning

- All stainless steel
- Door opens at 270°
- Removable
   Click & Clean® paddles

### **PATENTED**

### Click & Clean® removable paddles

 Remove the paddles and easily clean the blending chamber

### Guarantee

- Shock absorbers and window door life-time guarantee
- 3 year guarantee (after registration)

### **PATENTED**


### Adjustable blending power

• Up to 28 kg of pressure: the hardest samples don't resist! e.g.: nuts, pills, seeds, dog biscuits etc.



### **Optimal extraction**

- From as little as 30 seconds
- Easy control with the digital screen (speed, time, power)



### More than 10,000 **BagMixer®** in use every day!

Made in France by interscience,

the only manufacturer of blenders and sterile bags for microbiological analysis







### 4 BagMixer® 400 models:

The BagMixer® lab blender guarantees optimal extraction by the action of its two paddles. Adapted to any sample (food, agricultural, chemical, medical, environmental) to be analyzed between 50 ml and 400 ml, it guarantees homogenization in 30 to 60 seconds.



### BagMixer® 400 P

> The essential

Ref. 021 230



### BagMixer® 400 W

> Window door

Ref. 022 230



### **BEST SELLER**

### BagMixer® 400 VW

> Adjustable speed

Ref. 023 230



### BagMixer® 400 CC

> Click & Clean®

Ref. 024 230

Technical specifications at the back of the leaflet →

### BagMixer® packs:



### **Starter Pack**

- 1 BagMixer®
- + Sterile bags: 500 BagFilter® + 1,000 BagLight®
- + Accessories: 50 BagClip® + 1 BagOpen® + 1 BagRack®



- 1 BagMixer®
- + Sterile bags: 500 BagFilter® + 1,000 BagLight® + 500 BagPage®
- + Accessories: 50 BagClip®
  - + 1 BagOpen® + 1 BagRack®
  - + 1 PetriPile® + 1 BagPipet®
  - + 1,000 BagTips® Regular
  - + 6 Clinet® 101



- 1 BagMixer® & 1 BabyGravimat®
- + Sterile bags: 1,000 BagFilter® + 2,000 BagLight® + 1,000 BagPage®
- + Accessories: 50 BagClip®
  - + 1 BagOpen® + 2 BagRack®
  - + 2 PetriPile® + 1 BagPipet®
  - + 1,000 BagTips® Regular
  - + 6 Clinet® 101

### BagSystem® complete range for sample preparation before analysis



BagFilter® Collect



**Gravimat®** Dilute



BagMixer® Blend



**BagTools® Pipet** 

# BagMixiar 400\_B\_1111. Pictures and information in this brochure are not contractually binding. BagMixiar, Q-Tight, Click & Clean\*, Gravimat\*, BagTodos\*, BagTileofs\*, BagTileofs\*, BagGliph\*, BagGopen\*, BagGlip\*, MiniMix\*, easySpira\* and Scan\* are registered trademarks.

### Technical specifications

		BagMixer® 400 P	BagMixer® 400 W	BagMixer® 400 VW	BagMixer® 400 CC®
	Reference	021 230	022 230	023 230	024 230
Key features	Removable and autoclavable paddles, Click & Clean® system	-	-	-	<b>~</b>
	Blending power indicator	-	-	-	<b>✓</b>
	Adjustable blending power (up to 28 kg of pressure)	-	-	<b>~</b>	<b>~</b>
	Digital screen	-	-	<b>~</b>	<b>✓</b>
	Leak free Q-tight® system	-	-	<b>✓</b>	<b>✓</b>
	Side-by-side paddle stop	-	-	<b>✓</b>	<b>✓</b>
	Silent brushless motor	-	-	<b>✓</b>	<b>✓</b>
	Window door	-	<b>✓</b>	<b>✓</b>	<b>✓</b>
	Security drip tray	in option	<b>~</b>	<b>✓</b>	<b>✓</b>
	270° opening door	<b>&gt;</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
	All stainless steel	<b>→</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
	Compact and ergonomic	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Technical specifications	Door weight	1050 g	950 g		
	Blending time	30, 60, 90, 120, 15	60, 90, 120, 150, 180, 210 sec., ∞ from 1 sec. to 59 min, ∞		to 59 min, ∞
	Blending speed	fixed speed: 8 strokes/sec.		variable speed: 4, 6, 8, 10 strokes/sec.	
	Dimension (L x I x h)	39 x 26	x 29 cm 42 x 26 x 26.5 cm		
	Weight	16.5 kg			
	Power	~100-127V / ~220-240V - 50-60Hz		~100-240V - 50-60Hz	
	Capacity	50-400 mL			
Guarantees	Made in France	>	<b>~</b>	<b>✓</b>	<b>~</b>
	Life-time guarantee	Unbreakable shock absorbers and window door			
	3 year guarantee (after registration)	<b>&gt;</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Mai	nufactured in compliance with	9001 2008 WEEE 2002/96/EC	RoHS 2002/95/EC	MADE IN FRANCE	

# 

BagMixer®

Lab blenders

Your local distributor:

**Gravimat®** 

Gravimetric dilutors

BagFilter®

Sterile bags

### interscience INTERNATIONAL

easy**Spiral®** 

Spiral platers

30, Ch. Bois des Arpents - 78860 St Nom - FRANCE T: +33 (0)1 34 62 62 61 - F: +33 (0)1 34 62 43 03 info@interscience.fr - www.interscience.fr

Scan®

Colony counters

### interscience usa & canada

199 Weymouth ST - ROCKLAND - MA 02370 - USA T: +1 781 792 2133 - F: +1 781 792 2134 info@intersciencelab.com - www.intersciencelab.com