



24CB10C

24CB10C, 4 Liter Laboratory Blender

- **The Standard in Handling.** provides two handles for safer, easier lifting, pouring and carrying.
- **The Standard in Long Service.** sealed, precision, high-tech ball bearing system extends the life of our blenders.
- **The Standard in Design and Control.** Ergonomic classic design makes the unit easier to lift. Easy to clean electronic membrane control panel with Pulse Mode provides precision operation.
- **The Standard in Quiet Operation.** encases its industry-leading 3.75-HP motor for quiet operation.
- **The Standard in Stability.** Deeper, wider, full traction rubber non-skid feet keep the blender stable.
- **Capacity:** 4 Liters.
- **Switch Settings:** Off – Lo – Med – Hi – Pulse.
- **Base:** Die-cast gray epoxy coating.
- **Overall Height:** 26 inches
- **Weight:** Net shipping weight 38 lbs.
- Heavy-duty 3.75 HP motor
- Stainless steel 4-Liter container with 2 handles for increased safety & easier handling
- Low (15,800 RPM), Med (18,000RPM), Hi/Pulse (20,800RPM).

501697

- Blade assembly with carbon bearing and neoprene seals for 4-Liter blenders (not shown).

Please note that container assemblies are not autoclavable in normal configuration, as washers & seals will eventually break down. Two-piece lids are also not autoclavable.



CBL10, Hot Blending Lid

- Polycarbonate Hot Blending Lid for 4-Liter blender.



AD1, 4 Liter Adapter

- Allows use of 1Liter and smaller containers on 4Liter motor units.



2610T, 4 Liter Temp. Control Coil

- Stainless steel coil for use with 2610C or standard 4-Liter CAC70 containers
- Water circulated through helical coil cools media being processed
- Comes complete with cover and gasket.



2610F, 4 Liter Foam Arrestor

- Adjustable baffle used to reduce foam in media
- For use with 2610C or standard 4-Liter CAC70 containers
- Comes complete with cover & gasket.



2610C, 4 Liter Cool Base Container

- 4Liter stainless steel container with jacketed base, allowing for water cooling of bearing during extended operation periods
- Unit does not include lid or cover gasket.



CAC72, 4 Liter Container

- 4Liter stainless steel container with 2 handles & polycarbonate lid.



CAC70, 4 Liter Container

- 4Liter stainless steel container with 2 handles & stainless lid.



DMX20M

DMX20M/DME20E, Lab Mixers

- Two speeds: High 20,000 RPM, Low 15,000 RPM
- Commercial motor/durable housing/shock resistant rubber mounts
- Lifetime sealed ball bearing
- Easy to clean removable front panel
- Two agitators included: butterfly agitator and solid agitator
- 28-ounce (0.83-Liter) stainless steel container included
- Switch settings: Off-On-Pulse
- Rating: 230 volts – 50/60Hz – .5 Amps
- UL, NSF (DMX20M); CE (DM20M).



CAC20, Mixer Container

- Stainless steel container 20-ounce/ 0.83-Liter capacity



CAC08, Butterfly Agitator

- Stainless steel agitator

CAC09, Solid Agitator with Screw

- Stainless steel agitator